

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)[Sign in](#)

Google

PROXY AND CUSTOMIZATION AND INTERCEPTOR AND APPLICATION

Search

[Advanced Search](#)  
[Preferences](#)The "AND" operator is unnecessary – we include all search terms by default. [\[details\]](#)**Web** Results 1 - 10 of about 132,000 for **PROXY AND CUSTOMIZATION AND INTERCEPTOR AND APPLICATION**. (0.15 seconds)[Red Hat Linux JB261 JBoss for Advanced J2EE Developers at Global ...](#)Grasp how the dynamic **proxy** approach of JBoss **application** server works. Learn how to **customize** the **proxy** implementations executed by the client **applications** ...[www.globalknowledge.com/.../course.asp?pageid=9&courseid=9921&catid=400&country=United+States](http://www.globalknowledge.com/.../course.asp?pageid=9&courseid=9921&catid=400&country=United+States) - 25k - [Cached](#) - [Similar pages](#)[redhat.com | RHD261 Course Outline](#)Learn how to **customize** the **proxy** implementations executed by the client **applications**, how to take advantage of the location dependent information inside the ...[www.redhat.com/training/jboss/courses/rhd261\\_content.html](http://www.redhat.com/training/jboss/courses/rhd261_content.html) - 19k - [Cached](#) - [Similar pages](#)[System for customizing on-line computer services - Patent 20030126312](#)The **interceptor** system includes a **proxy** interacting with the **application**, a **customization** module interacting with the **proxy** and a dispatcher interacting ...[www.freepatentsonline.com/20030126312.html](http://www.freepatentsonline.com/20030126312.html) - 46k - [Cached](#) - [Similar pages](#)[\[PDF\] JBoss for Advanced J2EE Developers](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)**proxy** approach of JBoss **application** server works. Learn how to **customize** the ... We will show how the **interceptor** based middleware design ...[www.apac.redhat.com/pdf/advanced.pdf](http://www.apac.redhat.com/pdf/advanced.pdf) - [Similar pages](#)[\[PDF\] JBoss for Advanced J2EE Developers, RH261](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)JBoss **application** server works. Learn how to **customize** the **proxy** ... show how the **interceptor** based middleware design allows your server to be configured as ...[www.ecs.com.sg/training/RH261.pdf](http://www.ecs.com.sg/training/RH261.pdf) - [Similar pages](#)[CASifying IBM WebSphere \( WAS \), Websphere Portal Server \( WPS ...](#)This means that all **applications** running in this **application** server must declare the **Proxy** Ticket Receptor Servlet if you use it. ...[www.ja-sig.org/wiki/pages/viewpage.action?pageId=19314](http://www.ja-sig.org/wiki/pages/viewpage.action?pageId=19314) - 31k -[Cached](#) - [Similar pages](#)[InterceptionMetadata \(Pitchfork 1.0-m4 API\)](#)Use Spring AOP to create a **proxy** invoking the JEE-style **interceptors** and any Spring-style ... Perform optional **customization** of ProxyFactory before use ...[static.interface21.com/.../files/m4/docs/api/org/springframework/jee/intercept/InterceptionMetadata.html](http://static.interface21.com/.../files/m4/docs/api/org/springframework/jee/intercept/InterceptionMetadata.html) - 67k -[Cached](#) - [Similar pages](#)[Internal architecture of client part for Clustered Remoting For ...](#)It is possible to **customize** all internals of client **proxy** ... that trace **interceptor** should be used as well as specify implementation of such **interceptor**. ...[www.soft-amis.com/cluster4spring/architecture\\_client.html](http://www.soft-amis.com/cluster4spring/architecture_client.html) - 19k -[Cached](#) - [Similar pages](#)[Dr. Dobb's | CORBA Metaprogramming Mechanisms, Part 1 | March 1, 2003](#)Two types of **interceptors** are defined in the CORBA Portable **Interceptor** ...**Application** developers can **customize** the behavior of their software at ...[www.ddj.com/cpp/184403860](http://www.ddj.com/cpp/184403860) - 63k - [Cached](#) - [Similar pages](#)[Ken DeLong's Java Musings : Weblog](#)First, the overridden method checks to see if Spring thinks it's ok to **proxy** this object. If so, it tries to create a JMX performance **interceptor**. ...[www.jroller.com/kenwdejong/entry/performance\\_monitoring\\_with\\_spring\\_aop](http://www.jroller.com/kenwdejong/entry/performance_monitoring_with_spring_aop) - 50k -[Cached](#) - [Similar pages](#)

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)

[Sign in](#)

Google

PROXY AND CUSTOMIZATION AND INTER

Search

[Advanced Search](#)  
[Preferences](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

**Web** Results 11 - 20 of about 132,000 for **PROXY AND CUSTOMIZATION AND INTERCEPTOR AND APPLICATION**. (0.12 seconds)

[hibernate.org - Wiki Overview](#)

HibernatePicofier - Using an **Interceptor** to Inject Dependencies into Persistent Objects: Using Pico in a Hibernate **application** is pretty straight forward. ...  
www.hibernate.org/37.html?cmd=srchdoc&q=interceptor - 28k -  
[Cached](#) - [Similar pages](#)

[Ned Wolpert - Entries from April 2005](#)

Note about **interceptors**, they do NOT use AOP for it, just the Java **proxy** facility. ....  
proxies and **interceptors**... so its easy to **customize the interceptor** ...  
www.codeheadsystems.com/blog/archives/2005/04.html - 61k -  
[Cached](#) - [Similar pages](#)

[BSG Training Services - JBoss for Java Developers](#)

**Interceptors** are stateless Java classes that work in the EJB3 container in a ... of the JBoss **Application** Server and will understand how to **customize** or ...  
www.bsg.co.uk/services/jboss/jboss\_intro.aspx - 21k - [Cached](#) - [Similar pages](#)

[SourceForge.net: 4.0.1 Changes](#)

Extend the **proxy** ClientContainer to provide access to the **interceptors** and invocation context so that clients can **customize the proxy** outside of the server. ...  
sourceforge.net/docman/display\_doc.php?docid=26099&group\_id=22866 - 36k -  
[Cached](#) - [Similar pages](#)

[Agus sugianto](#)

Following a quick introduction to the implementation example, you'll learn about some of the ways you can **customize application** security using Acegi. ...  
jeni.jardiknas.org/roller/pojok/entry/200710211 - 31k - [Cached](#) - [Similar pages](#)

[\[PDF\] JBoss For Java JBoss For Java Developers with EJB3 Developers with ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)  
**Application** Server EJB3 container such. as smart **proxy** technology. ... annotations and **interceptor** classes for. EJB3 stateful session beans are thoroughly ...  
www.apac.redhat.com/pdf/java.pdf - [Similar pages](#)

[\[PPT\] Slide 1](#)

File Format: Microsoft Powerpoint - [View as HTML](#)  
**Application**. Concrete. **Interceptor**. **Interceptor**. UML Class Diagram ... **Interceptor Proxy** / Delegator - Customized Service; Portable **Interceptor**; Strategies ...  
www.cs.wustl.edu/~mdeters/doc/slides/interceptors.ppt - [Similar pages](#)

[Customization of distributed systems using COM](#)

However, some **applications** might. need to **customize** the client-server connection, for a number .... mechanism called **interceptors**, which support indirection ...  
ieeexplore.ieee.org/jiel4/4434/15346/00708249.pdf?arnumber=708249 -  
[Similar pages](#)

[JSON Plugin](#)

If the **interceptor** is used, the action will be populated from the JSON ... Use the JSON annotation to **customize** the serialization/deserialization process. ...  
cwiki.apache.org/S2PLUGINS/json-plugin.html - 35k - [Cached](#) - [Similar pages](#)

[IBM WebSphere Developer Technical Journal: Advanced authentication ...](#)

HTTP clients can also pass identity information to WebSphere **Application** Server by using a trust association **interceptor** (TAI). The TAI interface provides a ...  
www.ibm.com/developerworks/websphere/  
techjournal/0508\_benantar/0508\_benantar.html - 160k - [Cached](#) - [Similar pages](#)

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)[Sign in](#)

Google

PROXY AND CUSTOMIZATION AND INTERCEPTOR AND APPLICATION

Search

[Advanced Search](#)  
[Preferences](#)The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)**Web** Results **21 - 30** of about **132,000** for **PROXY AND CUSTOMIZATION AND INTERCEPTOR AND APPLICATION**. (0.09 seconds)**[doc]** [Understanding Windows Communication Foundation Extensibility](#)File Format: Microsoft Word - [View as HTML](#)Remoting was designed with extensibility in mind so you can **customize** any of .....Using a message **interceptor** you can register all **application** messages. ...[weblogs.asp.net/andresv/attachment/689792.ashx](#) - [Similar pages](#)**[doc]** [Annotations\\_HICSS\\_Paper](#)File Format: Microsoft Word - [View as HTML](#)This makes it easier to **customize** the **application proxy** behavior. ... A page**interceptor** can similarly be implemented as a post-method to the request object ...[www.objs.com/survey/annotations-hicss.doc](#) - [Similar pages](#)[OSA Intermediary Architecture Infrastructure](#)The **Interceptor** Architecture (IA) we have designed and implemented provides a mechanism by which an **application's** behavior can be dynamically augmented by ...[www.objs.com/agility/tech-reports/9812-IA-paper/IA-WWW8.html](#) - 73k -[Cached](#) - [Similar pages](#)**[don]** [Jdon Framework](#)You can insert a **Interceptor** by XML files aspect.xml, Jdon has some defaultinterceptors, ... When you use session beans, Jdon become a invocation **proxy**, ...[https://jdon.dev.java.net/](#) - 28k - [Cached](#) - [Similar pages](#)[Providing QoS Customization in Distributed Object Systems](#)Providing QoS **Customization** in Distributed Object Systems. 353. CQoS.Middleware. CQoS. Service. **Interceptor**. CQoS. Server **Application**. Client**Application** ...[www.springerlink.com/index/4KY3EQ6JL33Y7Y1H.pdf](#) - [Similar pages](#)[Yetanother - Azuki framework](#)The framework ensure that **application's** components remain independent of eachother. ... using only few design pattern like decorator, **proxy** or **interceptor**. ...[www.azuki-framework.org/wiki/index.php?title=Yetanother](#) - 16k -[Cached](#) - [Similar pages](#)[Customization of Distributed Systems Using COM](#)However, some **applications** might need to **customize** the client-server ... COM+runtime and services will provide a general mechanism called **interceptors**, ...[doi.ieeecs.org/10.1109/4434.708249](#) - [Similar pages](#)[Internet Access Design, Development and Customization ...](#)The ProxySG family of appliances delivers a **proxy** platform architecture to secureWeb communications & accelerate the delivery of business **applications**. ...[www.knowledgestormrfid.com/.../DirectSSkw/](#)

Internet+Access+Design,+Development+and+Customization - 90k -

[Cached](#) - [Similar pages](#)[Policy Injection Application Block - ObjectBuilder - Dependency ...](#)The Policy Injection **Application** Block substitutes a **proxy** class for my Order ....generate a **proxy** for you and will send the call to your **interceptor**. ...[codebetter.com/.../Policy-Injection-Application-Block-\\_2D00\\_-ObjectBuilder-](#)[\\_2D00\\_-Dependency-Injection.aspx](#) - 91k - [Cached](#) - [Similar pages](#)[Service-context propagation over RMI: Implementation follow-up ...](#)New features, such as common purpose **interceptor** libraries, ... of an RMI extensionstarts from naming-service **customization**. ... Dynamic **Proxy** Classes ...[www.javaworld.com/javaworld/jw-04-2005/jw-0404-rmi.html?page=3](#) - 45k -[Cached](#) - [Similar pages](#)

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)

[Sign in](#)

Google

PROXY AND CUSTOMIZATION AND INTER

Search

[Advanced Search](#)  
[Preferences](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

[Web](#) [Books](#) Results **31 - 40** of about **132,000** for **PROXY AND CUSTOMIZATION AND INTERCEPTOR AND APPLICATION**. (0.07 seconds)

[\[PS\] A Framework for Building Adaptive Distributed Applications](#)

File Format: Adobe PostScript - [View as Text](#)

and a server, where a **proxy** is placed between them. We followed a more generic approach, ... the distributed **application**. Using **interceptors**, the ...  
[www.cs.wustl.edu/~corsaro/papers/RM2003/p7-silva.ps](http://www.cs.wustl.edu/~corsaro/papers/RM2003/p7-silva.ps) - [Similar pages](#)

[Chapter 7. Transaction management](#)

Then, when BeanNameAutoProxyCreator postprocesses the target object and create the **proxy**, it causes the **proxy** to be inserted into the **Application** context ...  
[static.springframework.org/spring/docs/1.1.5/reference/transaction.html](http://static.springframework.org/spring/docs/1.1.5/reference/transaction.html) - 41k - [Cached](#) - [Similar pages](#)

[Security](#)

The exception is if the third-party authentication **proxy** or server has been configured ... A Trust Association **Interceptor** is a **Application** Server function ...  
[wps2a.semi.org/wps/doc/en/InfoCenter/wpf/security.html](http://wps2a.semi.org/wps/doc/en/InfoCenter/wpf/security.html) - 24k - [Cached](#) - [Similar pages](#)

[Middleware 2001: IFIP/ACM International Conference on Distributed ... - Google Books Result](#)

by Rachid Guerraoui - 2001 - Computers - 394 pages

The fine-grain configurability supported by Cactus provides the flexibility needed to **customize** guarantees independently for each **application** across a broad ...  
[books.google.com/books?isbn=3540428003...](http://books.google.com/books?isbn=3540428003...)

[Java Application's Packet Eavesdropper for Content Delivery Network](#)

**customize** accesses to foreign CDN **applications**. In the paper we propose Java **Application's** .... hardware packet **interceptor**, the functions or services of ...  
[ieeexplore.ieee.org/iel5/9746/30737/01423616.pdf?arnumber=1423616](http://ieeexplore.ieee.org/iel5/9746/30737/01423616.pdf?arnumber=1423616) - [Similar pages](#)

[Red Hat Linux JB161 JBoss and EJB3 for Java Developers at Global ...](#)

No prior knowledge of J2EE or the JBoss **Application** Server is required. ...  
**Customize** or augment the **application** server behaviors; Package and deploy a JMX ...  
[www.globalknowledge.com/.../course.asp?pageid=9&courseid=9918&catid=400&country=United+States](http://www.globalknowledge.com/.../course.asp?pageid=9&courseid=9918&catid=400&country=United+States) - 24k - [Cached](#) - [Similar pages](#)

[ssso.tigris.org](#)

**Customize** my project home page? Get release notes for CollabNet 4.5.1? ...  
Gateway/reverse **proxy** approach. All **applications** are made available through a ...  
[ssso.tigris.org/](http://ssso.tigris.org/) - 23k - [Cached](#) - [Similar pages](#)

[\[A Framework for Smart Proxies and Interceptors in RMI\] C.I.S.U.C.](#)

This paper presents a framework based on the Dynamic **Proxy** API for using smart proxies and **interceptors** with RMI. This framework requires no changes in the ...  
[www.cisuc.uc.pt/view\\_pub.php?id\\_p=363](http://www.cisuc.uc.pt/view_pub.php?id_p=363) - 12k - [Cached](#) - [Similar pages](#)

[\[PPT\] WLP Product Presentation](#)

File Format: Microsoft Powerpoint - [View as HTML](#)

Personalize and **customize** portals and deliver targeted content using online ....  
**Interceptors** are associated with specific consumer web **applications** (web ...  
[www.bea.com/dev2dev/events/BEA\\_WLP\\_92\\_final.ppt](http://www.bea.com/dev2dev/events/BEA_WLP_92_final.ppt) - [Similar pages](#)

[Web Framework archive at samaxes](#)

For Dojo Offline, we only want to talk to the local **proxy** and cache files for Dojo Offline web **applications**, not for all web sites so that that we don't ...  
[samaxes.com/category/web/web-framework/](http://samaxes.com/category/web/web-framework/) - 53k - [Cached](#) - [Similar pages](#)

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)

[Sign in](#)

Google

PROXY AND CUSTOMIZATION AND INTER

Search

[Advanced Search](#)  
[Preferences](#)

The "AND" operator is unnecessary – we include all search terms by default. [\[details\]](#)

**Web** Results 41 - 50 of about 132,000 for **PROXY AND CUSTOMIZATION AND INTERCEPTOR AND APPLICATION**. (0.09 seconds)

[Why does my ISV Proxy in SMS 2003 can talk with the MP in SCCM ...](#)  
I have a small **application** in a SMS 2003 which uses the MP API to issue  
"Content .... Administration and Operation, -> SharePoint - Design and  
**Customization** ...  
forums.microsoft.com/TechNet/ShowPost.aspx?PostID=2254936&SiteID=17 - 91k -  
[Cached](#) - [Similar pages](#)

[\[PDF\] Metro \(JAX-WS\) Doug Kohlert Senior Staff Engineer Sun Microsystems ...](#)  
File Format: OpenDocument - [View as HTML](#)  
return **proxy.add**(35, 7);. } Using The Binding **Customization** Language ....  
Optionally, **applications** can control low-level functionality, e.g. ...  
wiki.glassfish.java.net/attach/Presentations/metro-pjug-6\_2007.odp - [Similar pages](#)

[Login scenarios and techniques in WebSphere Application Server ...](#)  
**Customization** for this scenario is only required in the **application** code, ..... gone  
into details about the WebSphere Trust Association **Interceptor** (TAI), ...  
www.ibm.com/developerworks/websphere/  
library/techarticles/0702\_kovari/0702\_kovari.html - 110k - [Cached](#) - [Similar pages](#)

[Find Proxy Server - Buyers' Guide Results for Find Proxy Server](#)  
**Customize** lookup and verification routines to clean up, standardize, and enhance  
contact information in seconds! Empower your custom **applications** or Web ...  
guides.computerworld.com/search/keyword/cwguides/Find%20Proxy%  
20Server/Find%20Proxy%20Server - 144k - [Cached](#) - [Similar pages](#)

[Chapter 7. Spring AOP APIs](#)  
For new **applications**, we recommend the use of the Spring 2.0 AOP support ..... An  
Advisor and an **Interceptor** used to provide advice. An AOP **proxy** bean ...  
www.springframework.org/docs/reference/aop-api.html - 96k -  
[Cached](#) - [Similar pages](#)

[How to set proxy while deploying a bpel ...](#)  
at com.evermind.server.ejb.**interceptor**.system.JAASInterceptor\$1.run  
(JAASIntercep .... Just restart your server and test your **application** and  
integration ...  
forums.oracle.com/forums/thread.jspa?messageID=2129235 - 77k -  
[Cached](#) - [Similar pages](#)

[Interceptor Architecture - April 1999](#)  
Three of the web **applications** include Netscape's Mozilla Browser, W3C Jigsaw  
running as a server, and Jigsaw running as a **proxy**. In this section we will ...  
www.icc3.com/ec/architecture/javabased.html - 98k - [Cached](#) - [Similar pages](#)

[Java Dynamic Management Kit - Release History](#)  
Context checking in the agent **application** allows management requests to be ...  
SNMP functionality was expanded by providing an example of an SNMP **proxy**, ...  
java.sun.com/products/jdmk/release.html - 20k - [Cached](#) - [Similar pages](#)

[Configuring JAX-WS Handlers on the Client & Tech Tips Quiz](#)  
test1 uses handlers that are configured on a **proxy** using JAX-WS WSDL  
**customization**. test2 uses a HandlerResolver to set handlers on a service. ...  
java.sun.com/mailers/techtips/enterprise/2006/TechTips\_Sept06.html - 32k -  
[Cached](#) - [Similar pages](#)

[JBoss 4.0 The Official Guide - The EJB Server-Side View](#)  
Building JBoss AOP **Applications** ... Packaging and Deploying AOP **Applications** to  
JBoss ... HomeInterceptor</**interceptor**> <**interceptor**>org.jboss.**proxy**. ...  
www.ubookcase.com/book/Sams/JBoss.  
4.0.The.Official.Guide/0672326485/ch05lev1sec2.html - 52k -  
[Cached](#) - [Similar pages](#)

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)[Sign in](#)

Google

PROXY AND CUSTOMIZATION AND INTERCEPTOR AND APPLICATION

Search

[Advanced Search](#)  
[Preferences](#)The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)**Web** Results 51 - 60 of about 132,000 for **PROXY AND CUSTOMIZATION AND INTERCEPTOR AND APPLICATION**. (0.07 seconds)[Revocation List and Proxy/Firewall - MSDN Forums](#)

I'm using a ClickOnce **application** to verify and sign. .... Upgrade, Administration and Operation, -> SharePoint - Design and **Customization** ...  
forums.microsoft.com/MSDN/ShowPost.aspx?PostID=2301375&SiteID=1 - 70k -  
[Cached](#) - [Similar pages](#)

[Welcome to Coast Data Systems Limited](#)

**Interceptor** prevents known and unknown spyware while enabling legitimate **applications** via proven **proxy** technology. **Interceptor's** patent-pending SCOPE™ ...  
www.coastdata.co.ke/enterprise.html - 58k - [Cached](#) - [Similar pages](#)

[Product Focus: Behavior-Blocking Stops Unknown Malicious Code](#)

Rather than use a sandbox, the Storm-Watch agent simply monitors every **application** on the desktop. Four modules-the file **interceptor**, the network ...  
www.aladdin.com/about/press/esafe/networkMag.htm - 29k - [Cached](#) - [Similar pages](#)

[Component Object Model \(COM\)](#)

However, some **applications** may need to **customize** the client-server connection ... a general mechanism called **interceptors**, which support indirection through ...  
research.microsoft.com/~ymwang/papers/HTML/COMEssay/S.htm - 32k -  
[Cached](#) - [Similar pages](#)

[Tekguard EMail Interceptor](#)

Net multithreaded **application**, with Multiple CPU Support, EMail **Interceptor** processes email faster than its competitors (Cb). The Cached Memory Mode stores ...  
www.andrewm.com/Content/Technology/Programming/TekGuard.htm - 37k -  
[Cached](#) - [Similar pages](#)

[\[PDF\] Scalable Evolution of Highly Available Systems](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)  
**proxy** or a skeleton. Subdividing **interceptors** into these two .... developed a fault injection framework to **customize** the **interceptors** before they are added ...  
www.cse.ohio-state.edu/siefast/msr-cont-self-maint/publications/hallstrom2003scalable.pdf - [Similar pages](#)

[ACM: Digital Library: Communications of the ACM](#)

It communicates to the card **applications** via standardized APDU messages. The **Proxy** Server consists of two modules: the **Interceptor** and the Off-card Cookies ...  
portal.acm.org/ft\_gateway.cfm?id=1096002&type=html - [Similar pages](#)

[USENIX :login: - June 2000 - Tcl/Tk Conference Summaries](#)

These methods provide sets of new procedures and **interceptors** for existing procedures for an object for behavior **customization**. These **interceptors** can be ...  
www.usenix.org/events/tcl2k/loginsummaries/summaries.html - 45k -  
[Cached](#) - [Similar pages](#)

[NONAGS Misc. Internet Applications - Freeware](#)

Description: Trivial **Proxy** is a small **application** that allow to see and log ..... have easy to use interfaces, while maintaining the ability to **customize**. ...  
www.nonags.com/nonags/miscnet.html - 119k - [Cached](#) - [Similar pages](#)

[hammett - Weblog](#)

Berin's Dojo relies on events to allow extensions and **customization**. .... We really need **interceptor** capabilities in our **application** to interact with ...  
www.jroller.com/hammett/feed/entries/atom?cat=%2FOpen+source - 89k -  
[Cached](#) - [Similar pages](#)

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)

[Sign in](#)

Google

PROXY AND CUSTOMIZATION AND INTER

Search

[Advanced Search](#)  
[Preferences](#)

The "AND" operator is unnecessary – we include all search terms by default. [\[details\]](#)

Web Results 1 - 10 of about 30,100 for **PROXY AND CUSTOMIZATION AND INTERCEPTOR AND APPLICATION SUBSYSTEM**. (0.21 second)

[System for customizing on-line computer services - Patent 20030126312](#)

A computer system comprising: an **application**; a **sub-system** for having an interaction with the **application**; an **interceptor** system including: a **proxy** having ...  
www.freepatentsonline.com/20030126312.html - 46k - [Cached](#) - [Similar pages](#)

[Security](#)

A security component or **subsystem** allows an administrator to protect resources by ... A Trust Association **Interceptor** is a **Application** Server function ...  
wps2a.semi.org/wps/doc/en/InfoCenter/wpf/security.html - 24k - [Cached](#) - [Similar pages](#)

[\[PDF\] Scalable Evolution of Highly Available Systems](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Send-type **interceptors** are invoked immediately after. an envelope is passed from a **proxy** or a skeleton to the. interception **subsystem** for delivery. ...  
www.cse.ohio-state.edu/siefast/msr-cont-self-maint/publications/hallstrom2003scalable.pdf - [Similar pages](#)

[IBM WebSphere Developer Technical Journal: Advanced authentication ...](#)

HTTP clients can also pass identity information to WebSphere **Application** Server by using a trust association **interceptor** (TAI). The TAI interface provides a ...  
www.ibm.com/developerworks/websphere/techjournal/0508\_benantar/0508\_benantar.html - 160k - [Cached](#) - [Similar pages](#)

[Provider Endpoint on Application Use versus Server Proxy Endpoint ...](#)

Why is the **PROXY** endpoint a WebServiceProvider on **Application** Use within the ...  
On the **sub-system**, the **proxy** endpoint is represented as a **proxy** endpoint ...  
forums.microsoft.com/MSDN/ShowPost.aspx?PostID=208594&SiteID=1 - 157k - [Cached](#) - [Similar pages](#)

[SQL Agent/Proxy/Credentials/Active Directory - MSDN Forums](#)

d) granted **proxy** to **subsystem** SSIS. all was working until of coarse the ... Visual Studio **Application** Verifier, -» Visual Studio Code Analysis and Code ...  
forums.microsoft.com/MSDN/ShowPost.aspx?PostID=2322540&SiteID=1 - 72k - [Cached](#) - [Similar pages](#)

[Welcome to Security: WebSphere Application Server for z/OS](#)

When you install, configure, or **customize** WebSphere **Application** Server for .....  
The administrative **subsystem** security configuration is always determined by ...  
publib.boulder.ibm.com/.../ws51help/topic/com.ibm.websphere.zseries.doc/info/zseries/ae/welc\_security.html - 35k - [Cached](#) - [Similar pages](#)

[Research Project: An Analysis of JBoss Architecture](#)

In this project we analysis JBoss **application** server architecture .... If there is error or exception in an **interceptor** processing, then it fails there. ...  
www.huihoo.org/jboss/jboss.html - 68k - [Cached](#) - [Similar pages](#)

[\[PDF\] Secure Virtual Enclaves: Supporting Coalition Use of Distributed ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

taken by the **application** **interceptor**, in combination with ..... communication **sub-system** for high availability. In Proceedings. of the 22 ...  
www.isso.sparta.com/documents/sve\_abstract.pdf - [Similar pages](#)

[\[PDF\] Evaluating Meta-Programming Mechanisms for ORB Middleware 1 ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

**customize** server components transparently. Section 3.2 describes the smart **proxy** and **interceptor** meta-. programming mechanisms and Section 3.3 describes the ...  
www.cs.wustl.edu/~schmidt/PDF/IEEE.pdf - [Similar pages](#)

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)

[Sign in](#)

Google

PROXY AND CUSTOMIZATION AND INTER

Search

[Advanced Search](#)  
[Preferences](#)

The "AND" operator is unnecessary – we include all search terms by default. [\[details\]](#)

Web Results 11 - 20 of about 30,100 for **PROXY AND CUSTOMIZATION AND INTERCEPTOR AND APPLICATION SUBSYSTEM**. (0.07 seco

[PDF] [E-CoBROWSE: co-Navigating the Web with Chat-pointers and Add-ins ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

requirements on the client side: browser **customization**, ... **application proxy** server. The main responsibility of the. **interceptor** is to monitor URL requests ...  
c3.unu.edu/c3/publications/resources/CTS-321-301.pdf - [Similar pages](#)

[Libpcap, winpcap, libdnet, and libnet applications and resources](#)

ettercap is a network sniffer/**interceptor**/logger for ethernet LANs (both switched .....

the Linux 2.4 firewalling **subsystem**. ulogd is able to log packets in ...

www.stearns.org/doc/pcap-apps.html - 119k - [Cached](#) - [Similar pages](#)

[PDF] [Libpcap, winpcap, libdnet, and libnet applications and resources](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

ARP0c is a connection **interceptor** (using ARP spoofing and a bridging engine). .....

for the ULOG target of netfilter, the Linux 2.4 firewalling **subsystem**. ...

www.stearns.org/doc/pcap-apps.v1.0.pdf - [Similar pages](#)

[PDF] [Simplifying the Development of Autonomic Enterprise Java Bean ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

**Proxy/Interceptor** approach since it is not currently in-. tended to retrofit existing **applications**. AspectJ and AspectWerkz can be used to weave auto- ...

www.cs.wustl.edu/~schmidt/PDF/J2EEML.pdf - [Similar pages](#)

[Piecemeal migration of a document archive system with an ...](#)

pend on one technology. The communication **subsystem** it-. self should be exchangeable as a component. Through the existing **application** we already know the ...

ieeexplore.ieee.org/iel5/7309/19763/00914983.pdf - [Similar pages](#)

[Patents in Class 719/316](#)

A remote **proxy** generator (300) generates a remote **proxy** class for use in client-side communications for communications between a client **application** (108) ...

www.freepatentsonline.com/CCL-719-316-p6.html - 68k - [Cached](#) - [Similar pages](#)

[PDF] [Proceedings of the 6 USENIX Conference on Object-Oriented ...](#)

File Format: PDF/Adobe Acrobat

ated by an ORB to **customize** client behavior on a per-interface. basis. **Interceptors**, which are ... TAO's smart **proxy** and **interceptor** mechanisms and resolved ...

www.sagecertification.org/publications/

library/proceedings/coots01/full\_papers/wang/wang.pdf - [Similar pages](#)

[PDF] [WS Portal Security R04 \(G325-2090-01\) WP.indd](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Use of an authentication **proxy**. WebSphere **Application** Server provides a trust. association **interceptor** (TAI) interface that allows it to establish ...

ftp://ftp.software.ibm.com/software/websphere/pdf/WS\_Portal\_Security\_G325-2090-01.pdf - [Similar pages](#)

[PDF] [A RMI-Security-Extension using the PERMI framework](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

**subsystem** secure in heterogenous and distributed systems. The ap- .....

**APPLICATION I. A P P L I C A T I O N I. PERMI PML. (Proxy Management Layer) ...**

www.old.netobjectdays.org/pdf/03/papers/node/200.pdf - [Similar pages](#)

[Site map - IBM WebSphere Application Server Network Deployment](#)

Developing a custom **interceptor** for trust associations · Trust association

**interceptor** support for ..... Managing the WebSphere **Application** Server

**subsystem** ...

publib.boulder.ibm.com/.../wasinfo/v6r1/

topic/com.ibm.websphere.nd.multiplatform.doc/info/ae/htmlnav.html - 483k -



[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)

[Sign in](#)

Google

PROXY AND CUSTOMIZATION AND INTERC

Search

[Advanced Search](#)  
[Preferences](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Web Results 21 - 30 of about 30,100 for **PROXY AND CUSTOMIZATION AND INTERCEPTOR AND APPLICATION SUBSYSTEM**. (0.15 seco

[Secure Virtual Enclaves: Supporting Coalition Use of Distributed ...](#)

Java Web Server **interceptor**. IIS uses Windows NT's Internet Server **Application** Programming Interface. (ISAPI) as a **customization** interface. ...  
portal.acm.org/ft\_gateway.cfm?id=501964&type=pdf&coll=portal&dl=ACM -  
[Similar pages](#)

[PDF] [WebSphere Portal](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Trust Association **Interceptor**. (TAI) module to be written. Security. **Proxy**. Trust. Association. **Interceptor**. LDAP. Login Form. WebSphere. **Application** ...  
www.ibm.com/software/webservers/portal/library/WP-Architecture-V41.pdf -  
[Similar pages](#)

[Internet Archive Search: subject:"SNIFFER"](#)

The visual nature of the **application** makes it easy to spot problem areas at a glance. You can **customize** your severity colors and levels, play sound files ...  
www.archive.org/search.php?query=subject%3A%22SNIFFER%22 - 62k -  
[Cached](#) - [Similar pages](#)

[PDF] [Tivoli and WebSphere Sphere Application Server for on Server for z/OS](#)

File Format: PDF/Adobe Acrobat

**proxy** servers, Web **application** servers, middleware, and database ..... The Trust Association **Interceptor** feature in WebSphere on 390 is enabled by ...  
www.redbooks.ibm.com/redbooks/pdfs/sg247062.pdf - [Similar pages](#)

#### [1 Introduction](#)

suggest that customizing middleware on a per-**application** ..... 1998 also provides for **interceptors**. Suggestions for **customization** have appeared in the ...  
doi.ieeecomputersociety.org/10.1109/ICDCS.1998.679502 - [Similar pages](#)

[Transaction management Introduction Spring.NET provides a ...](#)

Note that not specifying any ordering will leave the decision as to what order advice is run in to the AOP **subsystem**. The " **proxy-target-type** " attribute on ...  
fisheye1.cenqua.com/browse/~raw,r=1.13/  
springnet/Spring.Net/doc/reference/src/transaction.xml - 64k -  
[Cached](#) - [Similar pages](#)

[PDF] [Clustered Remoting For Spring Framework - Reference Documentation](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

remoting **subsystem** of Spring framework and provides possibilities to build more stable and ..... It is possible to **customize** all internals of client **proxy** ...  
www.soft-amis.com/cluster4spring/cluster4spring\_reference.pdf - [Similar pages](#)

[PDF] [An Application Framework for Efficient, Reliable and Secure Access ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

The **application** can then. start to invoke file system related operations onto the HLFS. In our design, each operation has an. **interceptor** deployed at the ...  
www.hpl.hp.com/techreports/2006/HPL-2006-83R1.pdf - [Similar pages](#)

[Apache Jakarta Project\[FeedShow RSS reader\]](#)

Turbine is a Java Servlet Web **Application** Framework and associated component library. ... a new and much more sophisticated user input validation **subsystem**. ...  
www.feedshow.com/show\_items-feed=1ec22c757a469a81ffd8e84e9ea2439b - 60k -  
[Cached](#) - [Similar pages](#)

[webtool.pasblog.com - Blog The first blog : Last posts](#)

Acts as an HTTP **Proxy** running on port 8888 of local PC. Any **application** which accepts an ... JScript.NET event-based scripting **subsystem**. Free, for Windows. ...  
webtool.pasblog.com/The-first-blog-b1-1.htm - 41k - [Cached](#) - [Similar pages](#)

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)

[Sign in](#)

Google

PROXY AND CUSTOMIZATION AND INTER

Search

[Advanced Search](#)  
[Preferences](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Web Results 31 - 40 of about 30,100 for **PROXY AND CUSTOMIZATION AND INTERCEPTOR AND APPLICATION SUBSYSTEM**. (0.10 seco

[PDF] [The JBoss 4 Application Server Guide](#)

File Format: PDF/Adobe Acrobat

To introduce a new protocol binding, or **customize** the **proxy** factory, or the client side **interceptor** stack, requires. defining a new. invoker-**proxy**-binding ...  
docs.jboss.org/jbossas/jboss4guide/r5/adminguide.pdf - [Similar pages](#)

[Chapter 17. Transaction management](#)

**Interceptor**.AttributesTransactionAttributeSource to obtain that information .... leave the decision as to what order advice is run in to the AOP **subsystem**. ...  
www.springframework.net/docs/1.1-RC2/reference/html/transaction.html - 80k -  
[Cached](#) - [Similar pages](#)

[Chapter 17. Transaction management](#)

Conceptually, calling a method on a transactional **proxy** looks like this. ....  
**Interceptor**.AttributesTransactionAttributeSource to obtain that information ...  
springframework.net/doc-latest/reference/html/transaction.html - 80k -  
[Cached](#) - [Similar pages](#)

[PDF] [Cisco Customer Response Solutions Servicing and Troubleshooting Guide](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

**Application subsystem** in partial service and **application** running for an unexpectedly ..... If you are using a **proxy** service in Internet Explorer on the CRS ...  
www.cisco.com/application/pdf/en/us/guest/products/ps6879/c1237/ccmigration\_09186a00806128ae.pdf - [Similar pages](#)

[PDF] [Comparison of energy aware, nomadic mobile middleware solutions](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

[22] M. Satyanarayanan, J. Flinn and K. Walker, "Visual **Proxy**: Ex- ploring OS **customization** without **application** source", Operation. Systems Review, Vol. ...  
www.cs.helsinki.fi/u/kraatika/Courses/EnergyAwareness2005/Nurmela.pdf -  
[Similar pages](#)

[PDF] [Communications Billing Analytics Architecture Guide v5.0.3](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Object Management – this **sub-system** is used by Communications Billing ....  
Flexible transaction management – transaction **proxy interceptors** are used to ...  
download.oracle.com/docs/cd/E05649\_01/BillAnalys/D103866.pdf - [Similar pages](#)

[SSJ - Full Feature List](#)

Asynchronous invocation is possible via dynamic **proxy**, dynamic invocation interface (DII) or asynchronous messaging. With Server for Java, your **application** ...  
www.idoxx.com/products/ssj/features - 63k - [Cached](#) - [Similar pages](#)

[PDF] [Framework Support for Web Application Security](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

what do we do if our web **application** accesses a **subsystem** that defines a custom ..... To enforce security, Acegi uses security **interceptors**. ...  
www.diva-portal.org/diva/getDocument?urn\_nbn\_no\_ntnu\_diva-1285-1\_\_fulltext.pdf -  
[Similar pages](#)

[PDF] [Artix 2.1 Release Notes](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Artix Java **applications** do not support the use of C++ **interceptors** built. using Visual C++ v7.1. .... Artix logging to XML file includes the **subsystem** name. ...  
www.wonderwall.com/support/docs/artix/2.1/release\_notes/release\_notes.pdf -  
[Similar pages](#)

[PDF] [IBM WebSphere Application Server for z/OS, Version 5.1: Security](#)

File Format: PDF/Adobe Acrobat

**Application** Server **subsystem** that considered as an extension of WebSphere .....  
your own trust association **interceptor** with a reverse **proxy** security server ...

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)

[Sign in](#)

Google

PROXY AND CUSTOMIZATION AND INTER

Search

[Advanced Search](#)  
[Preferences](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Web Results 41 - 50 of about 30,100 for **PROXY AND CUSTOMIZATION AND INTERCEPTOR AND APPLICATION SUBSYSTEM**. (0.10 seco

[Spring - Java/J2EE Application Framework](#)

This is useful to allow the person deploying an **application** to **customize** some .....  
An Advisor and an **Interceptor** used to provide advice. An AOP **proxy** bean ...  
www.up.ac.za/services/it/intranet/sysops/docs/spring/SpringReference.htm - 694k -  
[Cached](#) - [Similar pages](#)

[Electrical computers and digital processing systems: multicomputer ...](#)

20060161625 - System, a method and a message **interceptor** for overload .....  
operations of an **applications subsystem** and a communications **subsystem**. ...  
www.freshpatents.com/Electrical-computers-and-digital-processing-systems--  
multicomputer-data-transferring... - 352k - [Cached](#) - [Similar pages](#)

Heterogeneous access to service-based distributed computing: the ...  
complicates the deployment of distributed **applications** [19]. RMIX overcomes these  
issues by leveraging dynamic **proxy**. classes [18] and featuring dynamic ...  
ieeexplore.ieee.org/iel5/8608/27277/01213205.pdf - [Similar pages](#)

[\[PDF\] JBoss Application Server 4.2.2](#)

File Format: PDF/Adobe Acrobat  
This **subsystem** works closely with the StateManager service. Destination  
Manager ..... The client-side **interceptor (proxy)** architecture for clustering ...  
labs.jboss.com/.../freezone/docs/Server\_Configuration\_Guide/  
beta422/pdf/Server\_Configuration\_Guide.pdf - [Similar pages](#)

[\[PDF\] IBM Tivoli Composite Application Manager V6.1 Family](#)

File Format: PDF/Adobe Acrobat  
The Warehouse **Proxy** Agent is the interface between Tivoli ..... 9.2.5, "SMF  
**customization**" on page 353. 9.2.1 CYN1 **subsystem** definition ...  
www.redbooks.ibm.com/redbooks/pdfs/sg247151.pdf - [Similar pages](#)

[\[PDF\] Building EJB Applications - A Collection of Patterns](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)  
**customization** of components and thus allows a broader variety of **applications** for  
components. This is basically an adaptation of GoF's strategy pattern ...  
www.voelter.de/data/pub/EJBPatterns.pdf - [Similar pages](#)

[\[PDF\] A Pattern Language for the Design of Aspect Languages and Aspect ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)  
to **customize** existing techniques or implement (simple) aspect composition .....  
tween the **application** logic and the instructions of the (**sub**-)**system** that ...  
nm.wu-wien.ac.at/research/publications/b372.pdf - [Similar pages](#)

[\[PPT\] grids.ucs.indiana.edu/ptliupages/publications/pres...](#)

File Format: Microsoft Powerpoint - [View as HTML](#)  
**Interceptor**. Collaboration as a WS Set up Session with XGSP. **Application** or ....  
among managed streams (audio versus video) using performance **subsystem** ...  
[Similar pages](#)

[Experience Report: Design and Implementation of a Component-Based ...](#)

**customization** of access control decision logic easier and avoids the need ....  
General organization of the architecture into an **interceptor** and A&A logic ...  
www.springerlink.com/index/uq6jhb089hdmvfg.pdf - [Similar pages](#)

[Nabble - Gnome - General - ImportError: No module named gtk](#)

xproxymngproto XProxyManagementProtocol - X **Proxy** Management Protocol  
headers seamoney-nspr NSPR - The Netscape Portable Runtime ss ss -  
**Subsystem** command ...  
www.nabble.com/ImportError:-No-module-named-gtk-t4387718.html - 66k -  
[Cached](#) - [Similar pages](#)